

## TECHNICAL DATA

	Small	Medium
<b>Design</b>		
Box size [H x D]	100 x 90 mm	120 x 110 mm
Square		✓
Bottom bar retractable		-
<b>Wind resistance</b>		
Wind class EN13561:2004		3
Guaranteed wind resistance	Up to 100 km/h in closed position	
<b>Control</b>		
Detecto Renson motor Safety First		✓
Somfy IO motor		✓

## DIMENSIONS

		Small		Medium	
<b>Dimensions single screen</b>					
Glass fibre fabric Sergé / Natté / Privacy	Min. width Somfy IO	900 mm		900 mm	
	Min. width Detecto	670 mm		670 mm	
	Max. width	4000 mm	3200 mm	5000 mm	4500 mm
	Max. height	2500 mm	3000 mm	3500 mm	4000 mm
	Max. surface	10 m <sup>2</sup>	9,6 m <sup>2</sup>	17,5 m <sup>2</sup>	18 m <sup>2</sup>



### Note:

- Screens are always motorized.
- M box - supplementary fixation in the middle from 3600 mm width onwards.

## DURABILITY

<b>Technology</b>	
Fixscreen-technology	✓
Smooth-technology	✓
Renewed Connect&Go-technology	✓
<b>Certificates</b>	
DOP declaration	✓
<b>Warranty</b>	
10 year warranty on coating of aluminium profiles	✓
5 year warranty on Fixscreen Technology	✓
5 year product warranty	✓
5 year warranty on fabric collection	✓
5 year warranty for electronic controls [motor & automation]	✓
5 year warranty on gloss level	✓

**TECHNICAL DRAWINGS**



Viewing direction determines selection option cable feed left or right

← Direction removable fabric roller

